

**Fair Winds Boat Repairs**

134 Riberia Street #7  
32084 St. Augustine  
Tel : 904-669-6045  
Fax :



## Yachtline Deluxe 420

**Model Overview:**

A natural complement for the modern yacht, the YACHTLINE DELUXE range marks a decisive development in the concept of yacht tenders.

The design of the console and the original line of the rear compartment, the stainless steel bow rail and cleats, and the white and light grey tube retain immediate attention. Fitted with a comprehensive range of equipment, and roomier than their competitors, the YACHTLINE DELUXE tenders have been designed for optimum passenger seating comfort. Their hull design is specially adapted to the heavier 4 stroke motors providing for faster planing, with minimum bow rise. The performance and handling are outstanding and they are easy to manoeuvre in the most congested waterways. The larger YACHTLINE models can easily tow a skier, thanks in part to their built in trim flaps, or take you to a diving spot. And, the YACHTLINES are great fun to pilot!

Standard equipment, including electrical and fuel supply systems, have been designed to meet or exceed the stringent standards of ISO (International Organization for Standardization) and ABYC (American Boat and Yacht Council). All YACHTLINE DELUXE tenders have a compact, low profile design, ensuring easy hoisting aboard and a minimum of inconvenience when stored.

**Plus Products:**

- High-end equipment
- Hull adapted to 4-stroke motors
- Compact profile

Item code:

Fabric:

Colour:

Floor:



## Specifications

### Dimensions (m - fi)

Length overall:	4.20 - 13'9"
Inside length:	2.80 - 9'2"
Width overall:	1.86 - 6'1"
Inside width:	0.94 - 3'1"
Tube diametre:	0.46 - 1'6"

### Capacity

Passengers (ISO):	6
Max payload allowed (B) (kg - lbs):	-
Max payload allowed (C) (kg - lbs):	850 - 1874
Total weight (kg - lbs):	273 - 602
Airtight compartments:	3

### Outboard data

Shaft	Long
Min recommended power (Hp - kW):	30 - 23
Max recommended power (Hp - kW):	50 - 38
Max power allowed (Hp - kW):	50 - 38
Max speed (km/h - mph):	60 - 37

### Category

European directive	C
--------------------	---

### Hull storage (m - fi)

Length:	3.98 - 13'1"	Height:	1.03 - 3'5"
Width:	1.25 - 4'1"	Hull angle (°):	18.0

### Folded boat dimensions (m - fi)

Length of 1st bag:	-	Length of 2nd bag:	-
Width of 1st bag:	-	Width of 2nd bag:	-
Height of 1st bag:	-	Height of 2nd bag:	-

## Equipments

### Hull

- V-shaped fibreglass hull with built-in flaps
- Moulded non-skid deck
- Anchor locker with upholstered seat
- Rear locker with gas strut
- Lateral locker
- 1 bow D-ring
- 2 stern rings
- 1 self-bailer

### Buoyancy tube

- Hypalon™-Néoprène™ fabric
- Removable tube system
- Easy Push valves
- 2 exterior handles
- 4 interior handles
- Large profile rubbing strake
- Reinforced cone ends

### Standard Equipment

## Equipments

- Stainless steel bow rail
- Steering console with :
- Steering + steering system + cable
- 3 breakers
- Glove box
- Built-in fuel tank + gauge + fuel/water separator : 57 litres
- Recess for extinguisher
- Double pilot/co-pilot seat with removable upholstered seat
- Passenger seats with removable upholstered cushion
- 3 stainless steel mooring cleats
- 3 lifting points
- Courtesy light
- Navigation lights
- Battery switch
- Battery box
- Automatic bilge pump
- 2 paddles
- Foot pump
- Valve cap pressure gauge
- Repair kit
- Owner's manual